

Référence ▲	Article	Dimensions	Lk	L0	Da	d	If	Ig	Pas	Di	Lc	f à Ln	Fo	R N/mm	Ln	Fn	Prix/pce	Remarque	Poids_g	Qté_min [Chf.30.-]
180.A.10201	compr.	30 x 6 x 0.8 x 17 ig		30.0	6.0	0.80	15.0	17.0	1.89	4.4	13.60	14.44		1.979	15.56	28.58	fr. 0.37		1.100	84
180.A.10202	compr.	40 x 6 x 0.8 x 20 ig		40.0	6.0	0.80	18.0	20.0	2.13	4.4	16.00	21.66		1.650	18.34	35.74	fr. 0.38		1.300	82
180.A.10203	compr.	50 x 6 x 0.8 x 25 ig		50.0	6.0	0.80	23.0	25.0	2.10	4.4	21.19	25.81		1.291	24.19	33.32	fr. 0.40		1.620	79
180.A.10204	compr.	60 x 6 x 0.8 x 30 ig		60.0	6.0	0.80	28.0	30.0	2.09	4.4	24.00	32.34		1.060	27.66	34.28	fr. 0.41		1.950	77
180.A.10205	compr.	300 x 6 x 0.8 x 130 ig		300.0	6.0	0.80	128.0	130.0	2.33	4.4	105.13	178.15		0.232	121.85	41.33	fr. 1.41		8.460	23
180.A.10211	compr.	30 x 8 x 1 x 12 ig		30.0	8.0	1.00	10.0	12.0	2.80	6.0	12.00	16.27		2.970	13.74	48.31	fr. 0.38		1.640	82
180.A.10212	compr.	40 x 8 x 1 x 16 ig		40.0	8.0	1.00	14.0	16.0	2.71	6.0	16.00	21.57		2.121	18.43	45.74	fr. 0.40		2.180	79
180.A.10213	compr.	50 x 8 x 1 x 20 ig		50.0	8.0	1.00	18.0	20.0	2.67	6.0	20.00	26.88		1.650	23.12	44.35	fr. 0.40		2.730	79
180.A.10214	compr.	60 x 8 x 1 x 24 ig		60.0	8.0	1.00	22.0	24.0	2.64	6.0	24.00	32.18		1.350	27.82	43.45	fr. 0.41		3.280	77
180.A.10215	compr.	300 x 8 x 1 x 106 ig		300.0	8.0	1.00	104.0	106.0	2.87	6.0	107.71	174.20		0.285	125.80	49.65	fr. 1.48		14.520	22
180.A.10221	compr.	30 x 10 x 1.2 x 9 ig		30.0	10.0	1.20	7.0	9.0	3.94	7.6	10.80	17.68		4.429	12.32	78.32	fr. 0.40		2.230	79
180.A.10222	compr.	40 x 10 x 1.2 x 12 ig		40.0	10.0	1.20	10.0	12.0	3.76	7.6	14.40	23.43		3.100	16.57	72.64	fr. 0.40		2.970	79
180.A.10223	compr.	50 x 10 x 1.2 x 14.5 ig		50.0	10.0	1.20	12.5	14.5	3.81	7.6	17.34	29.96		2.490	20.04	74.61	fr. 0.41		3.580	77
180.A.10224	compr.	60 x 10 x 1.2 x 17 ig		60.0	10.0	1.20	15.0	17.0	3.84	7.6	20.38	36.36		2.068	23.64	75.20	fr. 0.43		4.210	74
180.A.10225	compr.	300 x 10 x 1.2 x 66 ig		300.0	10.0	1.20	64.0	66.0	4.65	7.6	81.05	205.06		0.484	94.94	99.25	fr. 1.60		16.430	20
180.A.10231	compr.	30 x 12 x 1.5 x 8.5 ig		30.0	12.0	1.50	6.5	8.5	4.15	9.0	12.75	15.56		6.854	14.44	106.64	fr. 0.44		3.910	72
180.A.10232	compr.	40 x 12 x 1.5 x 11 ig		40.0	12.0	1.50	9.0	11.0	4.11	9.0	16.50	21.16		4.950	18.84	104.73	fr. 0.46		5.070	69
180.A.10233	compr.	50 x 12 x 1.5 x 13 ig		50.0	12.0	1.50	11.0	13.0	4.27	9.0	19.50	27.64		4.050	22.36	111.93	fr. 0.48		5.990	66
180.A.10234	compr.	60 x 12 x 1.5 x 15 ig		60.0	12.0	1.50	13.0	15.0	4.38	9.0	22.50	34.12		3.427	25.88	116.92	fr. 0.52		6.920	60
180.A.10235	compr.	300 x 12 x 1.5 x 64 ig		300.0	12.0	1.50	62.0	64.0	4.79	9.0	98.32	185.53		0.718	114.47	133.21	fr. 1.72		29.600	19
180.A.10241	compr.	30 x 15 x 2 x 7 ig		30.0	15.0	2.00	5.0	7.0	5.20	11.0	14.00	14.37		14.838	15.63	213.16	fr. 0.61		7.090	51
180.A.10242	compr.	40 x 15 x 2 x 9 ig		40.0	15.0	2.00	7.0	9.0	5.14	11.0	18.00	19.70		10.599	20.30	208.94	fr. 0.64		9.120	49
180.A.10243	compr.	50 x 15 x 2 x 11 ig		50.0	15.0	2.00	9.0	11.0	5.11	11.0	22.00	25.00		8.244	25.00	206.60	fr. 0.66		11.150	48
180.A.10244	compr.	60 x 15 x 2 x 13 ig		60.0	15.0	2.00	11.0	13.0	5.09	11.0	26.00	30.40		6.745	29.60	205.00	fr. 0.68		13.180	47
180.A.10245	compr.	300 x 15 x 2 x 57 ig		300.0	15.0	2.00	55.0	57.0	5.38	11.0	117.00	165.00		1.349	135.00	222.63	fr. 1.84		57.880	17
180.A.10301	traction	Lk 30 x 6 x 0.8 Lu 40	30.0	40.0	6.0	0.80	36.5			4.4		24.00	3.61	0.813	64.00	23.38	fr. 0.40		2.490	79
180.A.10302	traction	Lk 40.4 x 6 x 0.8 Lu 50	40.4	50.0	6.0	0.80	49.5			4.4		34.00	3.46	0.600	84.00	23.90	fr. 0.41		3.330	77
180.A.10303	traction	Lk 50 x 6 x 0.8 Lu 60	50.0	60.0	6.0	0.80	61.5			4.4		42.00	3.37	0.483	102.00	23.79	fr. 0.43		4.110	74
180.A.10304	traction	Lk 60 x 6 x 0.8 Lu 70	60.0	70.0	6.0	0.80	74.5			4.4		50.00	3.60	0.398	120.00	23.55	fr. 0.44		4.940	72
180.A.10305	traction	Lk 289 x 6 x 0.8 Lu 298	289.0	298.0	6.0	0.80	360.5			4.4		242.00	3.76	0.082	540.00	23.65	fr. 1.72		23.370	19
180.A.10311	traction	Lk 29.5 x 8 x 1 Lu 42	29.5	42.0	8.0	1.00	28.5			6.0		27.00	5.43	1.042	69.00	33.58	fr. 0.41		4.150	77
180.A.10312	traction	Lk 39.5 x 8 x 1 Lu 52	39.5	52.0	8.0	1.00	38.5			6.0		36.00	5.56	0.772	88.00	33.34	fr. 0.43		5.500	74
180.A.10313	traction	Lk 49.5 x 8 x 1 Lu 62	49.5	62.0	8.0	1.00	48.5			6.0		45.00	5.62	0.612	107.00	33.19	fr. 0.44		6.860	72
180.A.10314	traction	Lk 59.5 x 8 x 1 Lu 72	59.5	72.0	8.0	1.00	58.5			6.0		55.00	4.76	0.508	127.00	32.69	fr. 0.46		8.210	69
180.A.10315	traction	Lk 285.5 x 8 x 1 Lu 298	285.5	298.0	8.0	1.00	284.5			6.0		262.00	5.55	0.104	560.00	32.91	fr. 1.78		38.850	18
180.A.10321	traction	Lk 30.6 x 10 x 1.2 Lu 46	30.6	46.0	10.0	1.20	24.5			7.6		34.00	6.50	1.265	80.00	49.58	fr. 0.52	voir 254.60/5	6.510	60
180.A.10322	traction	Lk 40.2 x 10 x 1.2 Lu 56	40.2	56.0	10.0	1.20	32.5			7.6		39.00	7.39	0.954	95.00	44.58	fr. 0.44		8.490	72
180.A.10323	traction	Lk 49.8 x 10 x 1.2 Lu 66	49.8	66.0	10.0	1.20	40.5			7.6		49.00	7.63	0.765	115.00	45.20	fr. 0.46		10.460	69
180.A.10324	traction	Lk 60.6 x 10 x 1.2 Lu 76	60.6	76.0	10.0	1.20	49.5			7.6		59.00	7.45	0.626	135.00	44.42	fr. 0.48		12.650	66
180.A.10325	traction	Lk 281.5 x 10 x 1.2 Lu 297	281.5	297.0	10.0	1.20	233.5			7.6		263.00	9.05	0.133	560.00	43.90	fr. 1.84		57.830	17
180.A.10331	traction	Lk 30.7 x 12 x 1.5 Lu 50	30.7	50.0	12.0	1.50	19.5			9.0		24.00	13.34	2.285	74.00	68.56	fr. 0.46		9.890	69
180.A.10332	traction	Lk 39.8 x 12 x 1.5 Lu 58.6	39.8	58.6	12.0	1.50	25.5			9.0		38.40	10.87	1.747	97.00	77.87	fr. 0.61	voir 254.63/6	12.630	51
180.A.10333	traction	Lk 50.2 x 12 x 1.5 Lu 68	50.2	68.0	12.0	1.50	32.5			9.0		41.00	12.68	1.371	109.00	68.79	fr. 0.53		15.780	59
180.A.10334	traction	Lk 60.7 x 12 x 1.5 Lu 80	60.7	80.0	12.0	1.50	39.5			9.0		51.00	12.25	1.128	131.00	69.97	fr. 0.57		19.050	55

Référence ▲	Article	Dimensions	Lk	L0	Da	d	If	Ig	Pas	Di	Lc	f à Ln	Fo	R N/mm	Ln	Fn	Prix/pce	Remarque	Poids_g	Qté_min [Chf.30.-]
180.A.10335	traction	Lk 276.5 x 12 x 1.5 Lu 296	276.5	296.0	12.0	1.50	183.5			9.0		224.00	14.78	0.243	520.00	69.21	fr. 1.99		84.940	16
180.A.10341	traction	Lk 31 x 15 x 2 Lu 54	31.0	54.0	15.0	2.00	14.5			11.0		26.00	23.22	5.117	80.00	156.87	fr. 0.64		16.700	49
180.A.10342	traction	Lk 41 x 15 x 2 Lu 64	41.0	64.0	15.0	2.00	19.5			11.0		26.00	26.50	3.805	90.00	125.88	fr. 0.69		21.740	46
180.A.10343	traction	Lk 51 x 15 x 2 Lu 73	51.0	73.0	15.0	2.00	24.5			11.0		35.00	20.46	3.028	108.00	126.45	fr. 0.70		26.690	45
180.A.10344	traction	Lk 61 x 15 x 2 Lu 83	61.0	83.0	15.0	2.00	29.5			11.0		57.00	22.04	2.515	140.00	165.39	fr. 0.72		31.730	44
180.A.10345	traction	Lk 273 x 15 x 2 Lu 296	273.0	296.0	15.0	2.00	135.5			11.0		219.00	20.92	0.548	515.00	140.89	fr. 2.23		138.570	15
180.A.20101	traction	Lk 296 x 2.5 x 0.4 Lu 300	296.0	300.0	2.5	0.40	739.5			1.7		200.00	1.19	0.038	500.00	8.82	fr. 0.98		4.830	32
180.A.20102	traction	Lk 296 x 3 x 0.4 Lu 300	296.0	300.0	3.0	0.40	737.5			2.2		310.00	0.98	0.020	610.00	7.22	fr. 1.01		5.960	31
180.A.20103	traction	Lk 293 x 5 x 0.6 Lu 300	293.0	300.0	5.0	0.60	486.5			3.8		370.00	1.92	0.032	670.00	13.71	fr. 1.13		14.990	28
180.A.20104	traction	Lk 284 x 10 x 1 Lu 300	284.0	300.0	10.0	1.00	282.5			8.0		480.00	4.41	0.050	780.00	28.17	fr. 1.76		49.600	18
180.A.20105	traction	Lk 32.8 x 6 x 0.5 Lu 43.5	32.8	43.5	6.0	0.50	64.5			5.0		96.50	0.70	0.059	140.00	6.42	fr. 0.36		1.770	86
180.A.20106	traction	Lk 43 x 6 x 0.7 Lu 53	43.0	53.0	6.0	0.70	60.5			4.6		57.00	1.98	0.272	110.00	17.46	fr. 0.42		3.150	75
180.A.20107	traction	Lk 59.6 x 8 x 0.8 Lu 73.5	59.6	73.5	8.0	0.80	73.5			6.4		111.50	2.21	0.152	185.00	19.18	fr. 0.49		6.750	64
180.A.20108	traction	Lk 74.2 x 8 x 0.9 Lu 88	74.2	88.0	8.0	0.90	81.5			6.2		102.00	3.21	0.229	190.00	26.60	fr. 0.55		9.320	57
180.A.20109	traction	Lk 44.5 x 10 x 1 Lu 62	44.5	62.0	10.0	1.00	43.5			8.0		70.00	3.39	0.321	132.00	25.90	fr. 0.57		7.960	55
180.A.20110	traction	Lk 80.2 x 12 x 1.5 Lu 100	80.2	100.0	12.0	1.50	52.5			9.0		70.00	10.10	0.849	170.00	69.46	fr. 0.75		25.030	42
180.A.20111	traction	Lk 87 x 16 x 2 Lu 113	87.0	113.0	16.0	2.00	42.5			12.0		71.00	18.22	1.398	184.00	117.57	fr. 1.13		48.440	28
180.A.20112	traction	Lk 64.5 x 22 x 3 Lu 100	64.5	100.0	22.0	3.00	20.5			16.0		38.00	43.92	5.869	138.00	268.69	fr. 1.42		75.190	22
180.A.20113	compr.	300 x 3 x 0.4 x 233 ig		300.0	3.0	0.40	231.0	233.0	1.30	2.2	93.70	191.21		0.064	108.79	12.30	fr. 0.46		1.900	69
180.A.20114	compr.	300 x 4 x 0.4 x 179 ig		300.0	4.0	0.40	177.0	179.0	1.69	3.2	72.16	212.17		0.032	87.83	6.71	fr. 0.55		2.020	57
180.A.20115	compr.	300 x 5 x 0.7 x 139 ig		300.0	5.0	0.70	137.0	139.0	2.18	3.6	98.29	186.70		0.225	113.30	41.95	fr. 0.69		5.740	46
180.A.20116	compr.	300 x 10 x 1 x 72 ig		300.0	10.0	1.00	70.0	72.0	4.26	8.0	73.37	211.15		0.200	88.85	42.23	fr. 0.98		12.670	32
180.A.20117	compr.	50 x 6 x 0.6 x 22 ig		50.0	6.0	0.60	20.0	22.0	2.44	4.8	13.20	34.13		0.419	15.87	14.30	fr. 0.37		0.840	84
180.A.20118	compr.	60 x 8 x 0.8 x 19 ig		60.0	8.0	0.80	17.0	19.0	3.44	6.4	15.19	41.80		0.658	18.20	27.50	fr. 0.40		1.710	79
180.A.20119	compr.	80 x 10 x 0.9 x 19 ig		80.0	10.0	0.90	17.0	19.0	4.60	8.2	17.09	59.03		0.522	20.97	30.82	fr. 0.44		2.740	72
180.A.20120	compr.	100 x 12 x 1 x 20 ig		100.0	12.0	1.00	18.0	20.0	5.44	10.0	20.00	74.92		0.425	25.08	31.84	fr. 0.66		4.310	48
180.A.20121	compr.	120 x 16 x 1.2 x 19 ig		120.0	16.0	1.20	17.0	19.0	6.92	13.6	22.76	90.55		0.384	29.45	34.77	fr. 0.71		7.910	45
180.A.20122	compr.	120 x 18 x 1.8 x 18 ig		120.0	18.0	1.80	16.0	18.0	7.28	14.4	32.38	81.24		1.573	38.76	127.79	fr. 0.88		18.460	36
180.A.20123	compr.	140 x 21 x 2 x 20 ig		140.0	21.0	2.00	18.0	20.0	7.56	17.0	40.00	91.52		1.320	48.48	120.80	fr. 1.15		29.660	28
180.A.23501	compr.	150 x 3 x 0.4 x 125 if		150.0	3.0	0.40	125.0		1.20	2.2	51.28	90.57		0.119	59.43	10.78	fr. 0.38		1.030	82
180.A.23502	compr.	150 x 4 x 0.5 x 94 if		150.0	4.0	0.50	94.0		1.60	3.0	48.75	93.10		0.158	56.90	14.71	fr. 0.44		1.640	72
180.A.23503	compr.	150 x 5 x 0.6 x 60 if		150.0	5.0	0.60	60.0		2.50	3.8	38.15	105.34		0.258	44.66	27.18	fr. 0.52		1.930	60
180.A.23504	compr.	150 x 6 x 0.8 x 60 if		150.0	6.0	0.80	60.0		2.50	4.4	50.86	91.29		0.494	58.71	45.10	fr. 0.57		4.040	55
180.A.23505	compr.	150 x 8 x 1 x 53 if		150.0	8.0	1.00	53.0		2.80	6.0	57.02	83.70		0.555	66.30	46.45	fr. 0.64		7.580	49
180.A.23506	compr.	150 x 10 x 1.2 x 28 if		150.0	10.0	1.20	28.0		5.75	7.6	37.80	106.13		1.107	43.87	117.48	fr. 0.70		7.480	45
180.A.23507	compr.	150 x 12 x 1.5 x 28 if		150.0	12.0	1.50	28.0		5.75	9.0	47.28	95.43		1.590	54.57	151.73	fr. 0.87		13.890	36
180.A.23508	compr.	150 x 15 x 2 x 24 if		150.0	15.0	2.00	24.0		6.25	11.0	55.02	87.13		3.090	62.87	269.24	fr. 1.05		26.450	30
180.A.23509	compr.	150 x 18 x 2.1 x 21 if		150.0	18.0	2.10	21.0		7.10	13.8	51.45	90.35		2.347	59.66	212.04	fr. 1.15		31.500	28
180.A.23510	compr.	150 x 20 x 2.6 x 19 if		150.0	20.0	2.60	19.0		7.90	14.8	58.51	83.23		4.650	66.77	387.01	fr. 1.44		48.250	22
180.A.23611	traction	Lk 150 x 3 x 0.4	150.0		3.0	0.40	374.0			2.2		160.00	0.87	0.040	310.00	7.22	fr. 0.55		3.010	57
180.A.23612	traction	Lk 150 x 4 x 0.5	150.0		4.0	0.50	299.0			3.0		180.00	1.26	0.050	330.00	10.20	fr. 0.61		5.070	51
180.A.23613	traction	Lk 150 x 5 x 0.6	150.0		5.0	0.60	249.0			3.8		190.00	1.73	0.062	340.00	13.56	fr. 0.70		7.640	45
180.A.23614	traction	Lk 150 x 6 x 0.8	150.0		6.0	0.80	186.5			4.4		125.00	3.48	0.159	275.00	23.37	fr. 0.76		12.020	42
180.A.23615	traction	Lk 150 x 8 x 1	150.0		8.0	1.00	149.0			6.0		140.00	5.07	0.199	290.00	32.98	fr. 0.90		20.200	35

Référence ▲	Article	Dimensions	Lk	L0	Da	d	If	Ig	Pas	Di	Lc	f à Ln	Fo	R N/mm	Ln	Fn	Prix/pce	Remarque	Poids_g	Qté_min [Chf.30.-]
180.A.23616	traction	Lk 150 x 10 x 1.2	150.0		10.0	1.20	124.0			7.6		150.00	6.95	0.250	300.00	44.45	fr. 1.08		30.440	29
180.A.23617	traction	Lk 150 x 12 x 1.5	150.0		12.0	1.50	99.0			9.0		130.00	11.30	0.450	280.00	69.80	fr. 1.21		45.300	26
180.A.23618	traction	Lk 150 x 15 x 2	150.0		15.0	2.00	74.0			11.0		105.00	21.72	1.003	255.00	127.00	fr. 1.45		74.530	22
180.A.23619	traction	Lk 150 x 18 x 2.1	150.0		18.0	2.10	70.5			13.8		140.00	20.65	0.700	290.00	118.64	fr. 1.76		95.640	18
180.A.23620	traction	Lk 150 x 20 x 2.6	150.0		20.0	2.60	56.5			14.8		103.00	35.83	1.559	253.00	196.40	fr. 2.24		129.160	14
180.A.23701	compr.	1000 x 3 x 0.4 x 833 if		1 000.0	3.0	0.40	833.0	835.0	1.20	2.2	334.66	610.89		0.018	389.11	10.88	fr. 2.29		6.800	14
180.A.23702	compr.	1000 x 4 x 0.5 x 625 if		1 000.0	4.0	0.50	625.0		1.60	3.0	314.26	631.52		0.024	368.48	15.01	fr. 2.49		10.740	13
180.A.23703	compr.	1000 x 5 x 0.6 x 400 if		1 000.0	5.0	0.60	400.0		2.50	3.8	242.09	714.55		0.039	285.45	27.69	fr. 2.85		12.530	11
180.A.23704	compr.	1000 x 6 x 0.8 x 400 if		1 000.0	6.0	0.80	400.0		2.50	4.4	322.77	624.96		0.074	375.04	46.37	fr. 3.27		26.210	10
180.A.23705	compr.	1000 x 8 x 1 x 333 if		1 000.0	8.0	1.00	333.0		3.00	6.0	336.47	605.76		0.089	394.24	54.03	fr. 3.70		45.830	9
180.A.23706	compr.	1000 x 10 x 1.2 x 200 if		1 000.0	10.0	1.20	200.0		5.00	7.6	244.19	712.45		0.155	287.55	110.43	fr. 4.31		50.370	8
180.A.23707	compr.	1000 x 12 x 1.5 x 182 if		1 000.0	12.0	1.50	182.0		5.50	9.0	278.24	674.40		0.245	325.60	165.09	fr. 5.09		85.330	7
180.A.23708	compr.	1000 x 15 x 2 x 154 if		1 000.0	15.0	2.00	154.0		6.50	11.0	314.85	634.85		0.482	365.15	306.00	fr. 6.14		158.970	6
180.A.23709	compr.	1000 x 18 x 2.1 x 141 if		1 000.0	18.0	2.10	141.0		7.10	13.8	303.43	641.51		0.350	358.49	224.27	fr. 6.97		196.090	5
180.A.23710	compr.	1000 x 20 x 2.6 x 125 if		1 000.0	20.0	2.60	125.0		8.00	14.8	334.09	611.58		0.707	388.42	432.39	fr. 8.01		292.310	4
180.A.23711	compr.	1000 x 22 x 2.8 x 125 if		1 000.0	22.0	2.80	125.0		8.00	16.4	359.78	580.54		0.708	419.46	410.90	fr. 12.27		373.390	3
180.A.23712	compr.	1000 x 25 x 3 x 125 if		1 000.0	25.0	3.00	125.0		8.00	19.0	385.49	546.77		0.620	453.23	339.00	fr. 13.00		490.170	3
180.A.23811	traction	Lk 1000 x 3 x 0.4	1 000.0		3.0	0.40	2 499.0			2.2		1 090.00	0.87	0.006	2 090.00	7.34	fr. 3.93		20.140	8
180.A.23812	traction	Lk 1000 x 4 x 0.5	1 000.0		4.0	0.50	1 999.0			3.0		1 200.00	1.26	0.007	2 200.00	10.18	fr. 4.31		33.880	8
180.A.23813	traction	Lk 1000 x 5 x 0.6	1 000.0		5.0	0.60	1 665.0			3.8		1 300.00	1.74	0.009	2 300.00	13.84	fr. 4.49		51.100	7
180.A.23814	traction	Lk 1000 x 6 x 0.8	1 000.0		6.0	0.80	1 249.0			4.4		950.00	3.50	0.024	1 950.00	26.07	fr. 4.87		80.510	7
180.A.23815	traction	Lk 1000 x 8 x 1	1 000.0		8.0	1.00	999.0			6.0		1 050.00	5.05	0.030	2 050.00	36.27	fr. 5.36		135.450	6
180.A.23816	traction	Lk 1000 x 10 x 1.2	1 000.0		10.0	1.20	832.0			7.6		1 000.00	7.05	0.037	2 000.00	44.30	fr. 6.14		204.290	6
180.A.23817	traction	Lk 1000 x 12 x 1.5	1 000.0		12.0	1.50	665.0			9.0		850.00	11.41	0.067	1 850.00	68.30	fr. 7.18		304.600	5
180.A.23818	traction	Lk 1000 x 15 x 2	1 000.0		15.0	2.00	499.0			11.0		700.00	21.76	0.149	1 700.00	125.84	fr. 8.63		502.590	4
180.A.23819	traction	Lk 1000 x 18 x 2.1	1 000.0		18.0	2.10	475.0			13.8		950.00	20.66	0.104	1 950.00	119.19	fr. 9.46		645.380	4
180.A.23820	traction	Lk 1000 x 20 x 2.6	1 000.0		20.0	2.60	383.0			14.8		680.00	35.93	0.230	1 680.00	192.58	fr. 10.61		873.940	3
180.A.23821	traction	Lk 1000 x 22 x 2.8	1 000.0		22.0	2.80	356.0			16.4		720.00	40.32	0.248	1 720.00	219.17	fr. 13.42		1 038.390	3
180.A.23822	traction	Lk 1000 x 25 x 3	1 000.0		25.0	3.00	332.0			19.0		800.00	43.36	0.233	1 800.00	229.91	fr. 14.35		1 274.530	3
180.A.25311	compr.	15 x 2 x 0.25 x 18 ig		15.0	2.0	0.25	16.0	18.0	0.91	1.5	4.88	9.43		0.464	5.57	4.38	fr. 0.24		0.040	131
180.A.25312	compr.	10 x 4 x 0.6 x 8 ig		10.0	4.0	0.60	6.0	8.0	1.47	2.8	4.80	4.67		5.600	5.33	26.14	fr. 0.27		0.190	116
180.A.25313	compr.	30 x 6 x 0.6 x 14 ig		30.0	6.0	0.60	12.0	14.0	2.40	4.8	8.40	20.01		0.699	10.00	13.98	fr. 0.32		0.530	97
180.A.25314	compr.	40 x 6 x 1.1 x 21.6 ig		40.0	6.0	1.10	19.6	21.6	1.93	3.8	23.65	13.57		6.501	26.44	88.18	fr. 0.34		2.490	91
180.A.25315	compr.	32 x 4.8 x 0.7 x 20 ig		32.0	4.8	0.70	18.0	20.0	1.70	3.4	14.00	16.09		1.972	15.91	31.74	fr. 0.37		0.780	84
180.A.25316	compr.	10 x 8 x 1.1 x 5 ig		10.0	8.0	1.10	3.0	5.0	2.60	5.8	5.50	3.98		15.135	6.03	60.17	fr. 0.34		0.810	91
180.A.25317	compr.	30 x 10 x 1.5 x 10 ig		30.0	10.0	1.50	8.0	10.0	3.38	7.0	15.00	13.22		10.497	16.78	138.78	fr. 0.52		3.730	60
180.A.25318	compr.	32 x 15 x 1.2 x 8 ig		32.0	15.0	1.20	6.0	8.0	4.93	12.6	9.60	20.25		1.339	11.75	27.12	fr. 0.44		3.100	72
180.A.25319	compr.	40 x 15 x 1.6 x 10 ig		40.0	15.0	1.60	8.0	10.0	4.60	11.8	16.00	21.37		3.468	18.63	74.11	fr. 0.54		6.680	58
180.A.25320	compr.	45 x 16 x 1.7 x 9 ig		45.0	16.0	1.70	7.0	9.0	5.94	12.6	15.31	27.24		4.154	17.76	113.14	fr. 0.61		7.260	51
180.A.25321	compr.	22 x 20 x 3 x 5 ig		22.0	20.0	3.00	3.0	5.0	5.33	14.0	15.00	5.67		56.000	16.33	317.46	fr. 0.99		14.860	32
180.A.25322	compr.	45 x 20 x 3 x 8.5 ig		45.0	20.0	3.00	6.5	8.5	6.00	14.0	25.50	16.61		25.840	28.39	429.22	fr. 1.09		25.310	29
180.A.25323	compr.	10 x 3 x 0.5 x 10.5 ig		10.0	3.0	0.50	8.5	10.5	1.06	2.0	5.25	4.17		4.794	5.83	19.97	fr. 0.27		0.130	116
180.A.25324	compr.	18 x 3.3 x 0.4 x 15 ig		18.0	3.3	0.40	13.0	15.0	1.32	2.5	6.00	11.07		0.822	6.93	9.10	fr. 0.32		0.140	97
180.A.25325	compr.	22 x 4 x 0.6 x 16 ig		22.0	4.0	0.60	14.0	16.0	1.49	2.8	9.60	11.16		2.400	10.84	26.78	fr. 0.32		0.380	97

Référence ▲	Article	Dimensions	Lk	L0	Da	d	If	Ig	Pas	Di	Lc	f à Ln	Fo	R N/mm	Ln	Fn	Prix/pce	Remarque	Poids_g	Qté_min [Chf.30.-]	
180.A.25326	compr.	24 x 4.5 x 0.6 x 15 ig		24.0	4.5	0.60	13.0	15.0	1.75	3.3	9.00	13.73		1.712	10.28	23.50	fr. 0.34		0.410	91	
180.A.25327	compr.	8 x 6 x 1 x 5 ig		8.0	6.0	1.00	3.0	5.0	2.00	4.0	5.00	2.59		27.165	5.41	70.28	fr. 0.32		0.490	97	
180.A.25328	compr.	36 x 8 x 0.85 x 12 ig		36.0	8.0	0.85	10.0	12.0	3.43	6.3	10.20	24.05		1.455	11.95	34.99	fr. 0.38		1.210	82	
180.A.25329	compr.	43 x 9 x 1.1 x 14 ig		43.0	9.0	1.10	12.0	14.0	3.40	6.8	15.40	25.26		2.521	17.74	63.68	fr. 0.40		2.610	79	
180.A.25330	compr.	46 x 11 x 1.6 x 13.5 ig		46.0	11.0	1.60	11.5	13.5	3.72	7.8	21.60	21.61		6.989	24.40	151.00	fr. 0.68		6.340	47	
180.A.25331	compr.	55 x 12 x 1.3 x 13 ig		55.0	12.0	1.30	11.0	13.0	4.76	9.4	16.90	35.22		2.159	19.79	76.03	fr. 0.55		4.590	57	
180.A.25332	compr.	60 x 14.5 x 1.75 x 13 ig		60.0	14.5	1.75	11.0	13.0	5.14	11.0	22.75	33.79		4.191	26.21	141.63	fr. 0.68		9.900	47	
180.A.25333	compr.	63 x 16 x 2.5 x 14 ig		63.0	16.0	2.50	12.0	14.0	4.83	11.0	35.00	23.69		13.479	39.31	319.30	fr. 1.08		23.010	29	
180.A.25334	compr.	65 x 18 x 2.2 x 12 ig		65.0	18.0	2.20	10.0	12.0	6.06	13.6	26.40	34.70		6.050	30.30	209.91	fr. 1.06		17.890	30	
180.A.25335	compr.	67 x 22 x 2.2 x 10 ig		67.0	22.0	2.20	8.0	10.0	7.83	17.6	22.00	41.10		3.843	25.90	157.95	fr. 1.25		18.680	25	
180.A.25450	traction	Lk 7 x 3 x 0.3 Lu 11.8	7.0	11.8	3.0	0.30	22.5			2.4		14.70	0.35	0.186	26.50	3.09	fr. 0.27		0.120	116	
180.A.25451	traction	Lk 12.3 x 4 x 0.6 Lu 18	12.3	18.0	4.0	0.60	19.5			2.8		9.00	2.07	1.723	27.00	17.55	fr. 0.33		0.510	94	
180.A.25452	traction	Lk 17.2 x 5 x 0.5 Lu 25.4	17.2	25.4	5.0	0.50	33.5			4.0		33.60	0.94	0.209	59.00	7.95	fr. 0.34		0.770	91	
180.A.25453	traction	Lk 18.2 x 5 x 0.5 Lu 26.4	18.2	26.4	5.0	0.50	35.5			4.0		36.60	0.86	0.197	63.00	8.06	fr. 0.35		0.820	89	
180.A.25454	traction	Lk 30.3 x 5 x 0.6 Lu 38.2	30.3	38.2	5.0	0.60	49.5			3.8		37.80	1.74	0.313	76.00	13.57	fr. 0.36		1.580	86	
180.A.25455	traction	Lk 22.5 x 6 x 1 Lu 31	22.5	31.0	6.0	1.00	21.5			4.0		11.50	6.97	3.791	42.50	50.94	fr. 0.37		2.290	84	
180.A.25456	traction	Lk 34.8 x 7 x 0.8 Lu 45.6	34.8	45.6	7.0	0.80	42.5			5.4		47.40	2.47	0.412	93.00	21.99	fr. 0.42		3.420	75	
180.A.25457	traction	Lk 55.6 x 8 x 1 Lu 67.5	55.6	67.5	8.0	1.00	54.7			6.0		58.50	4.54	0.545	126.00	36.42	fr. 0.55		7.660	57	
180.A.25458	traction	Lk 25.2 x 10 x 0.8 Lu 42.2	25.2	42.2	10.0	0.80	30.5			8.4		74.80	1.79	0.176	117.00	14.94	fr. 0.43		3.710	74	
180.A.25459	traction	Lk 27.5 x 10 x 1 Lu 43.8	27.5	43.8	10.0	1.00	26.5			8.0		34.20	3.83	0.527	78.00	21.86	fr. 0.46		4.980	69	
180.A.25460	voir 10321/7	Lk 30.6 x 10 x 1.2 Lu 46	30.6	46.0	10.0	1.20	24.5			7.6			6.50	1.265	80.00	49.58	fr. 0.00	Remplacé par 10321/7	6.510		
180.A.25461	traction	Lk 65.5 x 11 x 1 Lu 84	65.5	84.0	11.0	1.00	64.5			9.0		141.00	3.24	0.158	225.00	25.50	fr. 0.64		12.890	49	
180.A.25462	traction	Lk 35.4 x 12 x 1.2 Lu 55.6	35.4	55.6	12.0	1.20	28.5			9.6		59.40	5.09	0.588	115.00	40.06	fr. 0.57		9.220	55	
180.A.25463	voir 10332/3	Lk 39.8 x 12 x 1.5 Lu 58.6	39.8	58.6	12.0	1.50	25.5			9.0			10.87	1.747	97.00	77.87	fr. 0.00	Remplacé par 10332/3	12.630		
180.A.25464	traction	Lk 21.8 x 14 x 1.5 Lu 44.8	21.8	44.8	14.0	1.50	13.5			11.0		28.20	9.67	1.956	73.00	64.73	fr. 0.55		8.500	57	
180.A.25465	traction	Lk 50.2 x 14 x 1.5 Lu 73.4	50.2	73.4	14.0	1.50	32.5			11.0		69.60	8.34	0.813	143.00	64.93	fr. 0.69		18.850	46	
180.A.25466	traction	Lk 75.8 x 14 x 1.5 Lu 99	75.8	99.0	14.0	1.50	49.5			11.0		91.00	9.37	0.534	190.00	57.87	fr. 0.80		28.120	39	
180.A.25467	traction	Lk 51 x 16 x 2 Lu 76.2	51.0	76.2	16.0	2.00	24.5			12.0		46.80	18.66	2.425	123.00	132.13	fr. 0.87		28.850	36	
180.A.25468	traction	Lk 50.2 x 4 x 0.5 Lu 56.2	50.2	56.2	4.0	0.50	99.5			3.0		59.80	1.22	0.149	116.00	10.15	fr. 0.43		1.720	74	
180.A.25469	traction	Lk 50.2 x 5 x 0.5 Lu 58.2	50.2	58.2	5.0	0.50	99.5			4.0		99.80	0.93	0.070	158.00	7.94	fr. 0.46		2.210	69	
180.A.25470	traction	Lk 60.3 x 6 x 0.6 Lu 70	60.3	70.0	6.0	0.60	99.5			4.8		115.00	1.35	0.084	185.00	11.05	fr. 0.53		3.820	59	
180.A.25471	traction	Lk 70.5 x 10 x 1 Lu 87	70.5	87.0	10.0	1.00	69.5			8.0		123.00	3.74	0.201	210.00	28.47	fr. 0.64		12.470	49	
180.A.25472	traction	Lk 75 x 11 x 1.2 Lu 93	75.0	93.0	11.0	1.20	61.5			8.6		107.00	5.27	0.365	200.00	44.30	fr. 0.70		17.380	45	
180.A.25473	traction	Lk 72.7 x 13 x 1.5 Lu 94	72.7	94.0	13.0	1.50	47.5			10.0		86.00	9.19	0.714	180.00	70.63	fr. 0.72		24.870	44	
180.A.25474	traction	Lk 73.8 x 20 x 2.5 Lu 106	73.8	106.0	20.0	2.50	28.5			15.0		64.00	29.58	2.605	170.00	196.71	fr. 1.15		64.910	28	
180.A.25475	traction	Lk 88.5 x 22 x 3 Lu 124	88.5	124.0	22.0	3.00	28.5			16.0		56.00	46.15	4.221	180.00	282.54	fr. 1.65		94.400	19	
180.A.26601	bat. TR	Lk 60 x 20 x 2.2 Lu 93	60.0	93.0	20.0	2.20						65.00	19.86	1.597	158.00	12.74	fr. 2.15		51.000	15	
180.A.26602	bat. TR	Lk 80 x 24 x 3 Lu 119	80.0	119.0	24.0	3.00						56.00	43.09	3.494	175.00	238.41	fr. 3.07		110.000	11	
180.A.26603	bat. TR	Lk 103 x 30 x 3.5 Lu 154	103.0	154.0	30.0	3.50						84.00	53.98	2.882	238.00	296.53	fr. 3.83		208.000	9	
"	bat. TR	Lk 122 x 36 x 4 Lu 183	122.0	183.0	36.0	4.00						107.00	66.90	2.698	290.00	353.96	fr. 9.57		336.000	6	
180.A.26605	bat. TR	Lk 150 x 39 x 4.5 Lu 210	150.0	210.0	39.0	4.50						190.00	67.10	3.130	400.00	661.38	fr. 7.90		498.000	4	
180.A.26606	bat. TR	Lk 193 x 39 x 5 Lu 256	193.0	256.0	39.0	5.00						194.00	106.16	4.320	450.00	967.99	fr. 8.94		689.000	4	
180.A.26701	bat. TR/C	Lk 110 x 32 x 3.5 Lu 179	110.0	179.0	32.0	3.50						253.75	69.17	24.77	8.255	248.17	595.72	fr. 6.45		164.000	5
180.A.26702	bat. TR/C	Lk 140 x 38 x 4 Lu 217	140.0	217.0	38.0	4.00						307.00	81.66	73.00	6.636	298.66	614.88	fr. 8.22		287.000	4

Référence ▲	Article	Dimensions	Lk	LO	Da	d	If	Ig	Pas	Di	Lc	f à Ln	Fo	R N/mm	Ln	Fn	Prix/pce	Remarque	Poids_g	Qté_min [Chf.30.-]
180.A.26703	bat. TR/C	Lk 160 x 38 x 5 Lu 235	160.0	235.0	38.0	5.00					316.50	71.58	14.76	14.765	306.58	1 071.62	fr. 9.15		389.000	4
180.A.29009	Mobilette	Lk 400 x 9 x 0.5 Lu 415	400.0	415.0	9.0	0.50						2 585.00	0.57	0.001	3 000.00	3.92	fr. 4.96		32.950	7